



**Ministry of Health**  
**Antenatal Care Clinic Register**  
*Version 3 (September 2011)*

Register No

Facility Name

District

First Registration Cohort

Last Registration Cohort

Year	Month	First Reg. No
Year	Month	Last Reg. No

Fill only when found HIV positive

Registration Cohort			Visit	Visit Date	Gestation weeks	Fetal heart	Weight (kg)	BP	Urine protein	Preventive meds.					Bed net given	Hb (g/dl)	Syphilis test result	HIV test result					PMTCT management			Comments	Provider name			
Year	Month	Registration no.								TTV	Number of tablets given			Previous test status from before first ANC visit				On CPT	NVP syrup dispensed (ml)	On ART										
											total previous doses	new doses given	SP	FeFo							Alben-dazole	Neg	Pos	Unknown						
																								Neg	Pos			Not Done		
Age Gravida Para			Total visits		week of 1 <sup>st</sup> visit		Pre-eclampsia		tot TTV doses		total SP doses		tot FeFo tabs		Alb. doses		ITN given		Syphilis test		HIV status			On CPT		NVP baby		Final ART status mother		ART Clinic Reg No.
			1 2 3 4 5+		0-12 13+		N Y		0-1 2+		0 1 2		0-119 120+		0 1		N Y		- + ND		Prev - Prev + New - New + ND			N Y		N Y		No ART Prev ART 0-27w ART 28+w ART		

Registration no.			1																													
Name			2																													
Place of residence / phone			3																													
Age Gravida Para			4																													
Age Gravida Para			5																													

Registration no.			1																													
Name			2																													
Place of residence / phone			3																													
Age Gravida Para			4																													
Age Gravida Para			5																													

Registration no.			1																													
Name			2																													
Place of residence / phone			3																													
Age Gravida Para			4																													
Age Gravida Para			5																													

<b>Page Summary</b>						Tot. started in week 0-12						Tot. with pre-eclampsia						Tot. with 2+ TTV doses						Tot. with 120+ FeFo tabs						Tot. recvd. Albendazole						Tot. received ITN						Tot. on CPT						Tot. recvd. NVP baby					
Field Number						1 2 3 4 5 6						7 8 9 10 11 12						13 14 15 16 17 18						19 20 21 22 23 24						25 26 27 28 29 30						31 32 33 34 35 36						37 38 39 40 41 42											

**General**

- Write information into all empty boxes
- Mark the correct answer in all boxes with printed options by drawing a circle around the option
- Circle one option only in each box

**The Cohort Registration System**

- There are **4 sections for 4 women** on each page
- On each page, write the Year and Month of Registration in the box in the top left-hand corner
- Start a new page for Registrations in a new month

**First (booking) visit**

- Start a new section for each woman
- Assign a new Registration number by adding 1 to the Registration number from the previous section
- Copy the Registration number into the woman's health passport to help you find her section in the ANC register when she comes for her follow-up visits.
- Write Name, Residence / Phone number, Age, Gravida, Para and the approximate dates for last menstrual period (LMP) and estimated date of delivery (EDD).
- In the row for the first visit (top row within each section), write today's date as Visit Date and fill the details in the other columns.

**Follow-up visit:**

- Find the woman's section in the ANC register using the Registration number in her health passport.
- In the next blank row (Visit 2, 3, 4 or 5), write today's date as Visit Date and fill the details in the other columns.

**Reporting of ANC outcomes**

- Very few women register for ANC within the first 2 months of pregnancy. Therefore, almost all women complete ANC and deliver within 7 months after registration.
- Step 1: Use the guide on the reporting form to find the Registration cohort that has now completed ANC. (7 months back)
- Step 2: For each woman in that Registration cohort, circle the Final status (ANC outcomes) in the grey row at the bottom of each section.
- Step 3: For each page, count the outcomes in the 4 grey rows (Final status) and write the tallies into the of the Page Summary boxes at the bottom of the page.
- Step 4: On a separate piece of paper, add the Page Summary Fields from all pages of this Registration cohort to obtain the totals for your monthly report.

Field No.	Field Name	Definition
1– 5	Total visits	Circle the total number of ANC visits that the woman has had
	Week of 1 <sup>st</sup> visit (always circle one option)	
6	<b>0-12</b>	First visit was in the 1 <sup>st</sup> trimester of pregnancy (0-12 weeks gestation)
	<b>13+</b>	First visit was in the 2 <sup>nd</sup> or 3 <sup>rd</sup> trimester (13 weeks gestation or later)
	Pre-eclampsia (always circle one option)	
	<b>N</b>	(otherwise)
7	<b>Y</b>	Diastolic blood pressure was 90 or above on 2 readings and urine protein was 2+ or 3+
	TTV doses (always circle one option)	
	<b>0-1</b>	None or only 1 <u>documented</u> dose of tetanus toxoid vaccine was given
8	<b>2+</b>	Received 2 or more <u>documented</u> doses of TTV (including previous doses and the final dose given at ANC).
	SP doses (always circle one option) Do <b>not</b> give SP to women on CPT.	
9	<b>0</b>	Received no SP in the course of ANC
10	<b>1</b>	Received only one dose (3 tabs) of SP in the course of ANC
11	<b>2</b>	Received two doses (2 x 3 tabs) of SP (at 2 visits)
	FeFo tablets (always circle one option)	
	<b>0-119</b>	Received less than 120 tablets of iron-folate in the course of her ANC visits
12	<b>120+</b>	Received 120 (or more) tablets of iron-folate in the course of her ANC visits
	Albendazole dose given (always circle one option)	
13	<b>N / Y</b>	One stat dose of 400mg Albendazole was given in the course of ANC (2 <sup>nd</sup> or 3 <sup>rd</sup> trimester)
	Insecticide treated bed net given (always circle one option)	
14	<b>N / Y</b>	One ITN given in the course of ANC
	Syphilis test (always circle one option)	
15	<b>-</b>	The (last) syphilis test result was negative
16	<b>+</b>	The (last) syphilis test result was positive
17	<b>ND</b>	No syphilis test was done in the course of the ANC visits
	HIV test: (always circle one option – and one option only)	
18	<b>Prev -</b>	<u>Documented</u> negative HIV test result from within the last 3 months was available at the registration visit. No new HIV test was done at ANC.
19	<b>Prev +</b>	<u>Documented</u> positive HIV test result from any time in the past seen at registration visit (women already on ART are considered to have a documented positive test). <u>No new HIV test</u> was done at ANC.
20	<b>New -</b>	The (last) HIV test done at ANC was negative. Look at the latest test result if multiple HIV tests were done in the course of several ANC visits.
21	<b>New +</b>	The (last) HIV test done at ANC was positive. Look at the latest test result if multiple HIV tests were done in the course of several ANC visits.
22	<b>ND</b>	No documented HIV test result was available from before ANC and no new HIV test was done during ANC. HIV status remained unknown as of the last ANC visit.
	On CPT (circle only for HIV positive women, leave blank otherwise)	
	<b>N</b>	HIV positive but not on CPT as of the last ANC visit
23	<b>Y</b>	On cotrimoxazole preventive therapy as of the last ANC visit
	NVP baby (circle only for HIV positive women, leave blank otherwise) Always dispense the full 6 week supply (3 bottles of 25ml) as soon as known HIV positive, regardless of week of gestation	
	<b>N</b>	The woman was HIV positive but was never given nevirapine syrup for the infant in the course of her ANC visits
24	<b>Y</b>	Nevirapine syrup given to take home with instructions to start giving the baby a daily dose until age six weeks
	Final ART status mother: (circle only for HIV positive women, leave blank otherwise - circle one option only)	
25	<b>No ART</b>	Woman was HIV positive but not on ART as of her last ANC visit.
26	<b>Prev ART</b>	Woman was already on ART when starting ANC.
27	<b>0-27w ART</b>	Woman started ART in the 1 <sup>st</sup> or 2 <sup>nd</sup> trimester of <u>this pregnancy</u> .
28	<b>28+w ART</b>	Woman started ART in the 3 <sup>rd</sup> trimester of <u>this pregnancy</u> .