



Ministry of Health
Maternity Register
Version 3 (September 2011)

Register No

Facility Name

District

Date Register Started

Date Register Closed

General

- Mark the correct answer in all boxes with printed options by drawing a circle around the option
- Circle only one option in each box
- There is space for 10 women and 12 babies across each double page.
- On each page, write the Year and Month of Admission in the box in the top left-hand corner
- Start a new page for Admissions in a new month
- Assign a new Admission number by adding 1 to the Admission number from the previous row

How to record Twins

- Write the first twin into the continuation of the mother's row as usual.
- Write the 2nd (and 3rd) baby into the spare rows at the bottom of the page.
- Write the mother's admission number in front of the row to allow linking of the baby to the right mother
- Make sure to count all twin or triplet siblings as separate babies.

Reporting from the Maternity Register

- Step 1: On each page, count the values in the columns and write the tallies into the of the Page Summary boxes at the bottom of the page.
- Step 2: On a separate piece of paper, add the Page Summary Fields from all pages of the reporting month to obtain the totals for your monthly report.

The Field Numbers at the bottom of the Register help to find the right Fields on the Reporting Form.

FieldNo.	Field Name	Definition
HIV Test Result Mother		
1	Prev –	A <u>documented</u> negative HIV test result from within the last 3 months was available. No new HIV test was done at maternity – neither before nor after delivery.
2	Prev +	A <u>documented</u> positive HIV test result from any time in the past was available. No new HIV test was done at maternity – neither before nor after delivery. All women who are already on ART are considered to have a documented positive test result.
3	New –	A new HIV test was done at maternity (before or after delivery) and the result was negative.
4	New +	A new HIV test was done at maternity (before or after delivery) and the result was positive.
5	ND	No new HIV test was done at maternity – neither before nor after delivery <u>AND</u> no documented HIV test result was available from before admission to maternity <u>OR</u> a previous negative test was older than 3 months. The current HIV test status therefore remained unknown for this woman.
ART Mother (always circle one option)		
6	No ART	Mother has not taken ART during pregnancy or labour/delivery. Use this option for all women whose HIV test status was unknown during pregnancy or who were previously tested HIV negative
7	Prev ART	Mother started ART before <u>this pregnancy</u> .
8	0-27w ART	Mother initiated ART during the 1 st or 2 nd trimester of <u>this pregnancy</u> .
9	28+w ART	Mother initiated ART during the 3 rd trimester of <u>this pregnancy</u> .
10	Lab ART	Mother initiated ART only <u>after admission</u> to maternity (before onset of labour, during labour, or after delivery)
Direct Obstetric Complications (Circle <u>only the leading</u> complication, always circle one option)		
11	None	No complications
12	APH	Ante-partum haemorrhage
13	PPH	Post-partum haemorrhage
14	OPL	Obstructed or prolonged labour
15	Ecl	pre-Eclampsia or Eclampsia. Always specify under 'Comments'.
16	Sepsis	Post-partum sepsis
17	Rup	Ruptured uterus
18	Other	Any other direct obstetric complication. Always specify other complications under 'Comments'.
Emergency Obstetric Care (EmOC Functions) (Circle <u>all</u> interventions provided)		
19-23	Ox, Ac, Ab, Tr, MRP	I.M. or I.V. drugs (oxytocin, anticonvulsive, antibiotics). Blood transfusion; Manual removal of placenta
Vitamin A given		
24	No, Yes	Mother was given dose of vitamin A before discharge.
Staff conducting delivery (always circle one option)		
25	A	The delivery was <u>directly attended</u> by a medical doctor, clinical officer, nurse/midwife or medical assistant (trained in midwifery)
26	B	The delivery was <u>not directly attended</u> by any of the above, but by a patient attendant, ward attendant or health surveillance assistant
27	C	The delivery was <u>not directly attended</u> by any staff listed in A or B

FieldNo.	Field Name	Definition
Referred out		
28	No, Yes	Mother referred to other facility before or after delivery. If referred before delivery, leave baby columns empty. Specify (Comments)
29	Alive, Died	Alive: Mother was discharged alive. Died: Mother was <u>brought in dead</u> or <u>died</u> before discharge.
31, 31	Single / Twin	S: Single baby. T: Twins or triplets. Write the second twin or the 2 nd and 3 rd triplet in the separate lines at the bottom of the page
Delivery Details: Place		
32	Here	Mother has delivered here at this facility
33	TR	Mother has delivered in transit on her way to this facility ('Birth before arrival')
34	OthF	Mother has delivered at another health facility and came to this facility after delivery.
35	Home	Mother has delivered at home (with or without birth attendant) or at a TBA camp.
Delivery Details: Mode		
36	SVD	Spontaneous vaginal delivery
37	VE	Vacuum extraction
38	Br	Breech delivery
39	CS	Caesarean section
Newborn complications (Circle only the leading complication)		
40	None	No complications
41	LBW	Low birth weight: Birth weight is less than 2,500 grams
42	Pre	Prematurity
43	Asph	Asphyxia
44	Sep	Newborn sepsis
45	Oth	Other newborn complication. Always specify other complications under 'Comments'.
Newborn Survival / PMTCT Management (Circle <u>only one</u> of the 7 options)		
46	Alive NotExp	Baby discharged alive. Mother's HIV test status is either <i>Previous Negative</i> or <i>New Negative</i>
47	Alive Exposed NoNVP	Baby discharged alive. Mother's HIV test status is either <i>Previous Positive</i> or <i>New Positive</i> . Baby has <u>not</u> started taking daily NVP syrup by the time of discharge.
48	Alive Exposed NVP	Baby discharged alive. Mother's HIV test status is either <i>Previous Positive</i> or <i>New Positive</i> . Baby <u>has</u> started taking daily NVP syrup by the time of discharge.
49	Alive UnkExp	Baby discharged alive. Mother's current HIV test status is unknown (option ND). (Baby has therefore <u>not</u> started taking NVP syrup)
50	SbF	Fresh stillbirth. Any HIV test status of the Mother.
51	SbM	Macerated stillbirth. Any HIV test status of the Mother.
52	NND	Neonatal death. Any HIV test status of the mother. Use this option even if NVP syrup was given, but the baby died before discharge.
Breastfeeding initiated within 60 mins		
53	No, Yes	Breastfeeding was started within 30 minutes after birth
Tetracycline eye ointment given (always circle one option)		
54	NoTO, TO	Tetracycline eye ointment was given to the newborn

M o t h e r

Year	Admission details						HIV Test Result Mother					ART Mother					Obstetric Complications								Emergency Obstetric Care <small>Circle all provided</small>					Vit A given				
	Month	Admission Date	Admission Number	Name Place of Residence	Age	Gravida	Para	Gestation week	Previous test status <small>Before admission</small>					None	Started ART (timing)				ART Clinic Registration No.	Circle only one leading complication								IM / IV Drugs			Blood Transfusion	Manual Removal Placenta	N	Y
									Neg In last 3 months	Pos Ever	New test at maternity				Not on ART	Before pregnancy	0-27w 1 st or 2 nd trimester	28+w 3 rd trimester		Lab ART	None	Ante part haem.	Post part haem.	Obstr / Prol Labor	(pre-) Eclampsia	Sepsis	Ruptured Uterus	Other	Oxytocin	Anticonvulsive				
								Prev -	Prev +	New -	New +	ND	No ART	Prev ART					0-27w ART												28+w ART	Lab ART		Non
								Prev -	Prev +	New -	New +	ND	No ART	Prev ART	0-27w ART	28+w ART	Lab ART		Non	APH	PPH	OPL	Ecl	Sep	Rup	Oth	OX	AC	AB	TR	MRP	N	Y	
								Prev -	Prev +	New -	New +	ND	No ART	Prev ART	0-27w ART	28+w ART	Lab ART		Non	APH	PPH	OPL	Ecl	Sep	Rup	Oth	OX	AC	AB	TR	MRP	N	Y	
								Prev -	Prev +	New -	New +	ND	No ART	Prev ART	0-27w ART	28+w ART	Lab ART		Non	APH	PPH	OPL	Ecl	Sep	Rup	Oth	OX	AC	AB	TR	MRP	N	Y	
								Prev -	Prev +	New -	New +	ND	No ART	Prev ART	0-27w ART	28+w ART	Lab ART		Non	APH	PPH	OPL	Ecl	Sep	Rup	Oth	OX	AC	AB	TR	MRP	N	Y	
								Prev -	Prev +	New -	New +	ND	No ART	Prev ART	0-27w ART	28+w ART	Lab ART		Non	APH	PPH	OPL	Ecl	Sep	Rup	Oth	OX	AC	AB	TR	MRP	N	Y	
								Prev -	Prev +	New -	New +	ND	No ART	Prev ART	0-27w ART	28+w ART	Lab ART		Non	APH	PPH	OPL	Ecl	Sep	Rup	Oth	OX	AC	AB	TR	MRP	N	Y	
								Prev -	Prev +	New -	New +	ND	No ART	Prev ART	0-27w ART	28+w ART	Lab ART		Non	APH	PPH	OPL	Ecl	Sep	Rup	Oth	OX	AC	AB	TR	MRP	N	Y	

Page

Page Summary

Field Number

Prev -	Prev +	New -	New +	ND	No ART	Prev ART	0-27w ART	28+w ART	Lab ART
1	2	3	4	5	6	7	8	9	10

Non	APH	PPH	OPL	Ecl	Sep	Rup	Oth	OX	AC	AB	TR	MRP	Total received Vit A
11	12	13	14	15	16	17	18	19	20	21	22	23	24

M o t h e r

B a b y

Staff conducting delivery					Referred out		Mother Alive		Birth Date	Twins	Sex	Birth Weight (kg)	APGAR (5 min)	Delivery Details				Newborn Complications						Newborn Survival / PMTCT Management						Breast-feeding initiated within 60 mins		Tetracycline eye ointment given		Discharging Provider Name	Comments						
MD / CO / MA / Nurse / Midwife	PA / WA / HSA	Other	No	Yes	Single Baby	Twin sibling / Triplet	Male	Female						Place				Mode				Circle only <u>one</u> leading complication						circle <u>only one</u> of the 7 options below			No	Yes	No			Yes					
														This Facility	In Transit (BBA)	Other Facility	Home / TBA	Spontan. Vaginal	Vacuum Extraction	Breech	Caesar. Section	None	Weight less 2500g	Prematurity	Asphyxia	Sepsis	Other	Mother HIV Neg.	Mother HIV Pos. NVP syrup	Mother HIV Un-known							fresh	macerated	Neonatal Death		
A	B	C	N	Y	Alive	Died								Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Alive NotExp	Alive Exp NoNVP	Alive Exp NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO		
A	B	C	N	Y	Alive	Died								Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Alive NotExp	Alive Exp NoNVP	Alive Exp NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO		
A	B	C	N	Y	Alive	Died								Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Alive NotExp	Alive Exp NoNVP	Alive Exp NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO		
A	B	C	N	Y	Alive	Died								Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Alive NotExp	Alive Exp NoNVP	Alive Exp NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO		
A	B	C	N	Y	Alive	Died								Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Alive NotExp	Alive Exp NoNVP	Alive Exp NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO		
A	B	C	N	Y	Alive	Died								Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Alive NotExp	Alive Exp NoNVP	Alive Exp NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO		
A	B	C	N	Y	Alive	Died								Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Alive NotExp	Alive Exp NoNVP	Alive Exp NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO		
A	B	C	N	Y	Alive	Died								Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Alive NotExp	Alive Exp NoNVP	Alive Exp NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO		
A	B	C	N	Y	Alive	Died								Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Alive NotExp	Alive Exp NoNVP	Alive Exp NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO		
Use these 2 rows for a 2 nd twin					Admission number mother									Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Pre	Alive Exp NoNVP	Alive Exposed NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO		
					Admission number mother								Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Pre	Alive Exp NoNVP	Alive Exposed NVP	Alive UnkExp	SbF	SbM	NND	N	Y	No	TO	TO			

Tot. referred out			Tot. died	
A	B	C		
25	26	27	28	29

S	T
30	31

Here	TR	OthF	Home	SVD	VE	Br	CS	None	LBW	Pre	Asph	Sep	Oth	Alive NotExp	Alive Exp NoNVP	Alive Exp NVP	Alive UnkExp	SbF	SbM	NND	Tot started BF in 60min	Tot. received TO	
32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	